



METAL BOND

EPOXY ADHESIVE
OF INDUSTRIAL STRENGTH

Index: B116

DESCRIPTION



WWW.K2CAR.COM



K2 METAL BOND is a 2-k epoxy adhesive of industrial strength, for use on different metal surfaces. You only need 4 minutes to mix epoxy resin and the hardener – to become a steel hardening compound. After that the surface can be drilled, tapped, sanded or filed.

Chemical resistance – for both industrial and household use.

DIRECTIONS



WWW.K2CAR.COM

1



2



3



4





Prepare the surface – clean, dry and degrease all the metal parts to be treated.
Prepare the epoxy – squeeze an equal amount of compound from both tubes. The resin from the yellow tube is light grey, the hardener from the green tube is black. Mix them thoroughly to reach an uniform, dark grey adhesive. The product is now ready for use.

Warning! The product bonds within few minutes when used in a room temperature. Prepare sufficient amount of K2 METAL BOND and do not allow it to dry. Bonding speed depends on the ambient temperature. The epoxy bonds significantly faster in higher than in lower temperature range.

DIRECTIONS



WWW.K2CAR.COM




Apply a sufficient amount of K2 METAL BOND on the metal part and press. If the surfaces are flat, there is no need to apply the epoxy on both of them or to firmly press them. Match the elements, press, remove an excess and let it dry for couple of minutes.

DIRECTIONS



WWW.K2CAR.COM



The product bonds within few minutes (typically there are 4 minutes), the bonding time always depends on the ambient temperatures. After that the surface can be drilled, tapped, sanded or painted.

WHERE TO BUY?



WWW.K2CAR.COM



FIND K2 METAL BOND IN OUR
GLOBAL CATALOGUE ON-LINE

[http://issuu.com/k2carcom/docs/
k2_global_catalogue_2015](http://issuu.com/k2carcom/docs/k2_global_catalogue_2015)

OR CONTACT US DIRECTLY
FOR MORE DETAILS!

SIMILAR PRODUCTS



WWW.K2CAR.COM

K2 MULTI BOND

Two-components epoxy adhesive



An excellent, professional, transparent, universal adhesive for use to bond most of the plastics, glass, crystal, porcelain, earthenware, wood, rubber, concrete and many others. Two-components epoxy, works fast.

Index: B121

CHECK IN OUR GLOBAL
CATALOGUE



K2 MEGA MIRROR

Rear view mirror adhesive



An adhesive for rear-view mirror, works where other glues fall down. Super strong and fast. More effective than epoxies or super glues. Permanently joins ends of mirrors. For use to bond metal/metal, glass/glass, ceramic, jewellery and others.

Features resistance of 3000 psi, 60% of it within the first 5 min.

Index: B110

CHECK IN OUR GLOBAL
CATALOGUE



K2 PRODUCT RANGE



WWW.K2CAR.COM



CAR CARE
PRODUCTS



ENGINE OILS, OPERATIONAL
FLUIDS AND ADDITIVES



CAR AIR FRESHENERS



CAR WASH
PRODUCTS



CAR PAINT
PRODUCTS



WORKSHOP
PRODUCTS





WWW.K2CAR.COM

IN CASE OF ANY FURTHER QUESTION CONTACT US:

MELLE LTD

STARY STAW 9

63-400 OSTROW WIELKOPOLSKI, POLAND

INFO@MELLE.COM WWW.MELLE.COM WWW.K2CAR.COM

RAFAL PIETRZAK

e-mail: sales@melle.com

Phone: 00 48 62 737 47 30

PETER WITKOWSKI

e-mail: global@melle.com

Phone: 00 48 62 737 88 46